

Model: IC10-J
 10.1'' Sunlight Readable - Rugged Intel® Celeron™ Tablet PC



Main Feature

- Intel® Celeron™ N5105 Quad-Core processor
- Capacitive Multi-Touch screen with scratch-resistant Corning® Gorilla® Glass
- WLAN, BT, NFC & 4G LTE technologies for seamless communication
- IP65 Water & Dust Protection
- 4'' Drop/Shock Rating (MIL-STD-810G)
- Removable battery with hot-swap function for all day productivity



Specification	
Model	IC10-J
Processor	Intel® Celeron™ N5105 quad-core, 2.0 Ghz (4M cache, up to 2.9 Ghz)
Memory	Onboard 8GB DDR4L (Optional 16GB)
Storage	Onboard 128GB SSD (Optional 256GB)
Operating System	Windows 10 or 11 Pro. 64 bit
Display	Display Type : 10.1'' <u>IPS LED Panel</u> Resolution : WUXGA 1920 x 1200 Luminance : 700 nit
Touch Screen	10-Point P-CAP multiple touch Corning® Gorilla® Glass
Camera	Front Camera: 5MP, Rear Camera: 8MP w/Auto-Focus
Power & Battery	110-240VAC to 19V/3.42A DC Adapter Input, & 7.4VDC 700 + 5000mAH, 0.5 + 5 Hour Runtime
2G/3G/4G	LTE FDD: B1/B3/B7/B8/B20/B28A WCDMA: B1/B8 GSM: B3/B8
GPS (GPS, glonass)	Support: GPS / Glonass
WIFI	WIFI 802.11(a/b/g/n/ac) 2.4G+5G Dual frequency
Bluetooth	BT5.0
Speaker	0.8 watt
Sensor	Gravity Sensor
I/O Interface	HDMI 1.4a x 1, USB 3.0 Type-A x 1, USB Type-C x 1, SIM Card x 1, TF Card x 1, 12pins Pogo Pin x 1, Φ3.5mm standard earphone jack x 1, Φ3.5mm DC jack x 1
(Optional) 2D barcode	2D barcode Scanner (Module)
Proof rate	IP65 - water proof, Dropping proof 1.2 meter
Construction	ABS, Plastic and Heavy duty steel
Environment	Operating temperature: -20°C to 60°C Relative humidity: 10% to 90%non-condensing Vibration: 17 to 500HZ 1G PTP; Shock: 5-50G /peak(11m sec)
Compliance	CE; FCC
Dimension W x H x D (mm)	290 x 197 x 28 / Net weight: 1.2 Kg
(Optional) accessories	Docking Charger, Hand-strap, Removable Battery, Vehicle Mount, Stylus ...
	

Ordering Information	
IC10-J	10.1'' Sunlight Readable - Rugged Intel® Celeron™ Tablet PC with Win 10 or 11 Pro. 64 bit
(Optional - upgrade RAM & SSD)	Upgrade to 16GB RAM & 256GB SSD
(Optional) AR Film	Anti-glare Film
(Optional) USB 2.0	USB 2.0 Port (with Expansion Slot)
(Optional) COM (DB9)	RS 232 Port (with Expansion Slot)
(Optional) LAN (RJ45)	10/100M LAN Port (with Expansion Slot)
(Optional) 2D barcode	2D barcode Scanner (with Expansion Slot)
(Optional) NFC	NFC scanner